

## فرم ثبت نام و چکیده مقاله سومین کنگره ملی گزارش های مورد بالینی



كد مقاله:

لطفاً فرم زیر را با دقت تکمیل نموده و با پیوست تصاویر و مستندات بالینی به ایمیل کنگره ارسال فرمائید. تکمیل همه موارد خواسته شده الزامی است، در صورت ناقص بودن از ارجاع مقاله شما به داوری معذوریم.

نام خانوادگی(فارسی): فرجی		نام(فارسی): علی			
نام خانوادگی(انگلیسی): Faraji		<b>نام(انگلیسی) :</b> Ali			
	alifarajii98@gmail.com <b>ایمیل:</b>				
	شغل: دانشجو	رشته تحصیلی: پزشکی			
س زنان الم	ل 🔲 ارتوپدی 🔲 پرستاری در تم	محور مقاله: عفونی داخلی تقلب وجراحی قلب روان پزشکی اورولوژی نوروسرجری علوم آزمایشگاهی مامایی جراحی د			
<b>آدرس: کرج -میدان نبوت-انتهای بوعلی غربی-بالاتر از دانشگاه هنر-پردیس دانشگاه علوم پزشکی-دانشکده پزشکی</b>					
کد مقاله: ۴۸۶		چكيده مقاله:			
	_	عنوان:			
Unilateral Retinopathy Caused By Methanol Intoxication					
Medicine and Toxicolog 912 205 9412 LIDA SHOJAEI, Fello	y, School of Medicine, Alborz Un wship Assistant of Forensic Medi	نویسندگان: Forensic Medicine , Department of Forensic niversity of Medical Sciences, Karaj, Iran- 98 cine, School of Medicine, Shahid Beheshti			
University of Medical S	ciences, Tehran, Iran				
ALI FARAJI, Medical Student, Student Research Committee, School Of Medicine, Alborz University Of Medical Sciences, Karaj, Iran					
<b>HANIEH TOGHROLI</b> , Medical Student, Student Research Committee, School Of Medicine, Alborz University Of Medical Sciences, Karaj, Iran					
		مقدمه:			
hours to days after inges					
		معرفی بیمار :			
A 45 year-old man referred to toxic emergency of Loghman Hakim Hospital complaining of bilateral blurred vision, vomiting, nausea. His vital signs were stable and he had a history of drinking alcohol two days ago.					

Laboratory tests revealed:						
PH: 7.16	FBS: 140	AST:27	PT:11.2	Ethanol: Negative		
HCO <sub>3</sub> :9.2	UREA: 28	ALT: 25	PTT:29.9	Acetaminophen<5		
PCO <sub>2</sub> :9.2	Cr:1.4	ALP:273	INR:1.03	Aspirin: Negative		
Na: 141				Methanol: 12.2		

Patient's history, clinical sings and laboratory test results confirmed methanol toxicity so emergency hemodialysis was done for 4 hours. After hemodialysis right eye's vision was corrected but not left eye's. Considering patient's condition hemodialysis was done for the second time, but he still suffered from central field loss in left eye. Due to metabolic acidosis correction he was referred to ophthalmology which revealed left retinopathy due to methanol intoxication.

بحث و نتیجهگیری:

The clinical features of methanol intoxication are usually limited to the eyes, central nervous system and gastrointestinal tract. (2, 3, 4, 5) Visual symptoms are common but vary in severity. These include spots in front of the eyes, blurred vision, photophobia, reduced visual acuity and central field loss which may progress to complete blindness. In this case systemic toxicity was presented but retinopathy didn't occur in both eyes – just in the left eye.

كليدواژه ها:

Unilateral Retinopathy, Methanol toxicity

K:5.1

منابع

- 1. Rotenstreich Y, Assia Ei, Kesler A,Late treatment of methanol blindness,British Journal of Ophthalmology 1997;81:415.
- 2. Elerhorn MJ, Barceloux DG. Medical toxicology diagnosis and treatment of human poisoning. New York: Elsevier,
- 3. Bennett IL, Cary FH, Mitchell GL, Cooper MN. Acute methyl alcohol poisoning: a review based on experiences in an outbreak of 323 cases. Medicine 1953;32:431-63.
- 4. Benton CD, Calhoun FP. The ocular effects of methyl alcohol poisoning: report of a catastrophe involving 320 persons. Trans Am Acad Ophthalmol Otolaryngol 1952; 36:875-83
- 5. Swartz RD, Milman RP, Billi JE, eta/. Epidemic methanolpoisoning; clinical and biochemical analysis of a recentepisode. Medicine 1981;60:373-82.